

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	279	(position\$3 or align\$4) near3(sensor\$2 or "CCD" or sens\$4 near3 element\$2 or photosensitive or light near3 sens\$4 or non-defective near3 sensors) with(defective or faulty or bad)near3 (sensor\$2 or CCD or sens\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 11:58
L2	21	L1 and pixel\$2 with color same (image or picture or photo)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 11:58
L3	2	2 and piezoelectric	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 14:08
L9	1941	pixel\$2 near7 color near5 read\$3 same image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 14:11
L10	105	9 and piezoelectric	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 13:35
L11	86	10 and logic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 13:28
L12	28	11 and(sensor\$2 or "CCD" or sens\$3 near3 element\$2 or photosensitive) near3 (defective or faulty)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 13:30

EAST Search History

L13	3	9 and piezoelectric with (mov\$3 or replac\$5) near5 (sensor\$2 or sens\$4 near3 element\$2 or CCD)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 14:11
L14	8267	382/312,274,167,314,315,317,318,321;348/219.1,275,222.1;358/497,251,246.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 14:11
L15	146	14 and pixel\$2 near7 color near5 read\$3 same image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 14:11
L16	3	15 and piezoelectric with (mov\$3 or replac\$5) near5 (sensor\$2 or sens\$4 near3 element\$2 or CCD)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 14:12
S1	0	(sensor\$2 or "CCD") near3 pixel\$2 with color near3 valu\$2 same color near3 data adj2 reading same expos\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 19:56
S2	173	(sensor\$2 or "CCD") with color near3 valu\$2 same expos\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 20:25
S3	37	S2 and color near3 valu\$2 near5 pixel\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 20:00

EAST Search History

S4	0	S3 and(sensor\$2 or "CCD") near3 defective	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 19:56
S5	5193	(sensor\$2 or "CCD") near3 (defective or faulty)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 19:59
S6	197	S5 and expos\$4 near3 (image or pictur42)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 20:00
S7	67	S6 and color near3 valu\$2 near5 pixel\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 20:03
S8	0	S7 and piexoelectric adj1 crystals	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 20:04
S9	29	S7 and piezoelectric adj1 crystals	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 21:38
S10	0	S9 and moving near3 arry	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 20:05

EAST Search History

S11	4	S9 and moving near3 array	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 20:05
S12	4	S9 and moving near3 array	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 20:05
S13	253	(sensor\$2 or "CCD" or sens\$3 near3 element\$2 or photosensitive) with color near3 valu\$2 same expos\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 11:22
S14	0	S13 and(sensor\$2 or "CCD" or sens\$3 near3 element\$2 or photosensitive) near7 (defective or faulty) with color near3 valu\$2 same expos\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 20:31
S15	1	S13 and(sensor\$2 or "CCD" or sens\$3 near3 element\$2 or photosensitive) near7 (defective or faulty)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 21:17
S16	8485	(sensor\$2 or "CCD" or sens\$3 near3 element\$2 or photosensitive) near7 (defective or faulty)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 21:17
S17	11	S16 and pixel\$2 with color near3 valu\$2 same expos\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 21:20

EAST Search History

S18	39	S16 and piezoelectric adj1 crystals	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 12:54
S19	1	S18 and pixel\$2 with color near3 valu\$2 same expos\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 06:13
S20	31	S18 and pixel\$2 with color near3 valu\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 21:20
S21	31	S20 and expos\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 06:14
S22	31	S21 and (red near3 blue or RGB)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 21:35
S23	202	S16 and pixel\$2 with color near3 valu\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 21:33
S24	143	S23 and expos\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 11:29

EAST Search History

S25	133	S24 and (red near3 blue or RGB or cyan near4 magenta)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 21:53
S26	31	S25 and piezoelectric	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 11:59
S27	0	S25 and pixl near3 color near3 read\$3 with image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 21:43
S28	28	S25 and pixel\$2 near3 color near3 read\$3 with (image or pictur\$2 or photo)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 06:14
S29	28	S25 and pixel\$2 near3 color near3 read\$3 with (image or pictur\$2 or photo)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 21:52
S30	5527	S16 and (defect\$3 or fault\$2) near3 (sensitivity or sensor\$2 or photosensi\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 21:51
S31	6	S30 and pixel\$2 near3 color near3 read\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 21:52

EAST Search History

S32	310	S30 and (red near3 blue or RGB or cyan near4 magenta)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 21:53
S33	228	S32 and expos\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 05:55
S34	1	S33 and stair adj1 steps	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 21:56
S35	1	S33 and solid-state near3 motor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 21:57
S36	1	S33 and electric near3 motor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 21:57
S37	14	S33 and piezoelectric	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 21:58
S38	14	S33 and piezoelectric	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 21:58

EAST Search History

S39	55897	"33" and piezoelectric	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 05:56
S40	8485	(sensor\$2 or "CCD" or sens\$3 near3 element\$2 or photosensitive) near7 (defective or faulty)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 13:29
S41	5527	S40 and (defect\$3 or fault\$2) near3 (sensitivity or sensor\$2 or photosensi\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 05:55
S42	310	S41 and (red near3 blue or RGB or cyan near4 magenta)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 05:55
S43	228	S42 and expos\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 05:56
S44	14	S43 and piezoelectric	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 11:34
S45	64	S43 and pixel\$2 with color near3 valu\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 06:13

EAST Search History

S46	64	S45 and expos\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 06:14
S47	1	S46 and pixel\$2 near3 color near3 read\$3 with (image or pictur\$2 or photo)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 11:28
S48	5	S46 and pixel\$2 near3 color near3 read\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 06:15
S49	6478	(sensor\$2 or "CCD" or sens\$4 near3 element\$2 or photosensitive or light near3 sens\$4) near3(defective or faulty or bad)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 14:19
S50	259	S49 and (motor or machnical near3 device)with move	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 12:53
S51	358	S49 and (motor or machnical near3 device)with (move or moving)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 11:27
S52	28	S51 and pixel\$2 near3 color near3 read\$3 with (image or pictur\$2 or photo\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 14:17

EAST Search History

S53	28	S52 and expos\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 14:19
S54	28	S52 and piezoelectric	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 11:35
S55	279	(position\$3 or align\$4) near3(sensor\$2 or "CCD" or sens\$4 near3 element\$2 or photosensitive or light near3 sens\$4 or non-defective near3 sensors) with(defective or faulty or bad)near3 (sensor\$2 or CCD or sens\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 12:52
S56	31	S55 and (motor or mechanical near3 device)with (move or moving)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 14:09
S57	1	S56 and piezoelectric adj1 crystals	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 12:54
S58	1	S56 and piezoelectric	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 14:10
S59	21	S55 and pixel\$2 with color same (image or picture or photo)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 11:58

EAST Search History

S60	3083	pixel\$2 near7 color near5 read\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 13:27
S61	286	S60 and (motor or mechanical near3 device)with (move or moving)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 14:19
S62	94	S61 and piezoelectric	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 14:10
S63	0	S62 and (compensa\$4 or replac\$5) near7(sensor\$2 or "CCD" or sens\$4 near3 element\$2 or photosensitive or light near3 sens\$4) near3(defective or faulty or bad)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 14:12
S64	28	S62 and (sensor\$2 or "CCD" or sens\$4 near3 element\$2 or photosensitive or light near3 sens\$4) near3(defective or faulty or bad)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 14:12
S65	2748	pixel\$2 with color near7 read\$3 same (image or pictur\$2 or photo\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 14:18
S66	56	S65 and (sensor\$2 or "CCD" or sens\$4 near3 element\$2 or photosensitive or light near3 sens\$4) near3(defective or faulty or bad)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 14:19

EAST Search History

S67	30	S66 and (motor or mechanical near3 device)with (move or moving)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 14:19
S68	29	S67 and expos\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 14:20